

Empowering
what matters.
Empowering
hoses.

ARION
by meler

ARION AKUA
meler.eu

ARION AKUA

TO BE WATER-RESISTANT

Because sometimes we need the best in wet working atmospheres.

When the working conditions and environment require good moisture resistance and fluid tolerance, our automatic and transfer hose solutions with a special coating with 100% leak-tightness are perfect.



ADVANTAGES


Improves machinery maintenance

100% waterproof

Helps improve the cleaning process

Accessibility

CHARACTERISTICS



USES

Specialized in:
Labelling / Packaging
Applications:
Wet working atmospheres
Markets:
Textil – Automotive – Packaging – Assembly –
Matresses – Wood – Graphic Arts – Construction



SPECIFICATIONS

Inner diameter 6, 8 and 13 mm	Lengths from 0.6 to 7.2 m	Maximum pressure at 200 °C 156 (Ø6) • 130 (Ø8) • 105 (Ø13) bar	Hydraulic connection (female) JIC 9/16" (Ø6 y Ø8); GAS 1/4" (Ø6); M16x1,5 (Ø8); JIC 3/4" (Ø13); M22x1,5 (Ø13)	
Minimum bending radius 160 (Ø6) • 180 (Ø8) • 300 (Ø13) mm	Consumption 95-160 Watt/m	Voltage 230V AC	Temperature Max. 200 °C	Temperature sensor Pt 100, Ni 120 and NTC

